


MARBLE'S OUTING EQUIPMENT



“Like I Feel Toward My Dog”

That's the way every sportsman feels about his Marble's Equipment.


Always dependable and always ready to serve faithfully, each product that bears the Marble's name wins the respect and confidence of the user. The built-in quality and dependability of these world-famous products are of priceless value. Yet, Marble's Equipment is always reasonably priced.

For more than 40 years, practically all the great adventurers, and famous Arctic explorers, as well as thousands of sportsmen who seek recreation in fields, forests, and on waters, have entrusted their safety and comfort to . . .


Marble's Outing Equipment

for Every Hour in the Open

Marble's Ideal Hunting Knife



No. 41, Leather Handle Ideal. Sheath Furnished.



**No. 45, Leather Handle Ideal. Has Hilt.
Sheath Furnished.**


Knives No. 41 and 45 have a heavy tang upon which are driven washers made of sole leather, red and black fiber, and brass. Bolster or hilt is brass. Tip, aluminum. All parts held rigidly by a round brass nut sunk into tip, engaging the threaded end of tang. Finest, forged steel blade, polished and sharpened to a keen edge.

No. 41—With Sheath.

| | Weight | Price |
|-----------------------------|---------------|---------------|
| 4 $\frac{1}{4}$ " blade.... | 6 oz. | \$2.50 |
| 5 " blade.... | 7 oz. | 2.75 |
| 6 " blade.... | 8 oz. | 3.00 |

No. 45—With Sheath.

| | | |
|-----------------------------|--------|---------------|
| 4 $\frac{1}{4}$ " blade.... | 6 oz. | \$2.50 |
| 5 " blade.... | 7 oz. | 2.75 |
| 6 " blade.... | 8 oz. | 3.00 |
| 7 " blade.... | 10 oz. | 3.25 |
| 8 " blade.... | 14 oz. | 3.50 |



No. 46, Stag Handle Ideal. Has Hilt. Sheath Furnished.

The handle of No. 46 is composed of two grooved slabs of selected staghorn, carefully riveted together and driven on the tang. Brass hilt. Tip of genuine staghorn. Finest, forged steel blade, polished and sharpened to a keen edge.

No. 46—With Sheath.

| | | |
|-----------------------------|-------|---------------|
| 4 $\frac{1}{4}$ " blade.... | 6 oz. | \$3.25 |
| 5 " blade.... | 7 oz. | 3.50 |
| 6 " blade.... | 8 oz. | 3.75 |

No. 46—With Sheath.


| | | |
|---------------|--------|---------------|
| 7" blade..... | 10 oz. | \$4.00 |
| 8" blade..... | 14 oz. | 4.25 |

Imitations are sometimes marked "Marble Pattern." Buy only those marked "Marble's," Gladstone, Mich., U.S.A.

MARBLE'S *Outing Equipment*

Marble's Woodcraft Knife


The thick back with tapering bevel blade carries the strength from handle to point, so that it serves as well as a thin blade, yet has the surplus of strength found usually in heavier knives. It's an all-purpose knife for hunting, fishing, or canoeing. Thousands of Boy Scouts own these knives.



No. 49, Leather Handle

Handle, 4 inches, is made of washers of sole leather, red and black fibre, and brass. Brass bolster. Aluminum tip. Blade is 4½ inches, forged from high-grade cutlery steel, expertly tempered, polished and sharpened to a keen edge. Complete with leather sheath.


No. 49—4½" blade. Weight with leather sheath 7 oz....\$2.00



No. 50, Real Staghorn Handle

No. 50—4½" blade. Weight with leather sheath 7 oz....\$3.00

Marble's Sport Knife




For outdoor or indoor use by the camper, canoeist, hiker, hunter or fisherman. A beautiful little knife to handle. Your outfit is incomplete without one.

Handle, 3½ inches, is made of washers of sole leather, red and black fibre, and brass. Brass bolster. Aluminum tip. Blade forged from high-grade cutlery steel, expertly tempered, polished and sharpened to a keen edge. Complete with leather sheath.

No. 60—4" blade. Weight with sheath 4 oz.....\$1.75

for Every Hour in the Open

Marble's Expert Knife



Leather handle, aluminum tip. Blade forged from high-grade cutlery steel, polished and sharpened to a keen edge. Furnished with leather sheath.

A thin, keen edge for dressing skins and furs. Back of blade designed for scraping skins while on the forms.

No. 545—5-inch blade; weight with sheath $6\frac{1}{2}$ oz.....\$2.50

Marble's Trailmaker Knife




Blade 10 Inches, Leather Handle 5 Inches

No cutting tool will serve as many purposes. Tent poles, light firewood, and trees up to several inches in diameter can be cut as quickly as with an axe. A wonderful amount of work can be accomplished with it when blazing or cutting a way through thick undergrowth or cane brake. Duck blinds can be quickly made. Complete with leather sheath.

No. 56—10-inch blade; weight with sheath 15 oz.....\$5.50

Marble's Outer's Knife




The 4-inch blade, tempered, polished and sharpened to a keen edge, is made from high-grade cutlery steel as used in all Marble Knives. Blade extends clear thru the bone stag handle. Complete with leather sheath.

Just the knife for hunting, fishing and camping trips.

No. 40—4-inch blade; weight with sheath 4 oz.....\$1.00

Marble's Boy Scout Sheath Knives

OFFICIAL



No. 1560



No. 1562

Made from the same high-grade cutlery steel that made Marble's famous. The blade is drop forged, carefully tempered, polished and sharpened to a keen edge. Complete with sheath.

Handle is a beauty—made of washers of sole leather alternating with red and black fibre and brass—all driven on the heavy tang of the blade and buffed to a mirror finish. Bolster is of brass and the tip is of aluminum. It's a life-time knife—ready to stand the gaff on hikes, in camp, or at home.

No. 1560—4½-inch blade; weight with sheath 7 oz.....\$2.00

No. 1562—4-inch blade; weight with sheath 4 oz..... 1.75

Marble's Knife Sheaths



Although each Marble's Hunting Knife is regularly furnished with a leather sheath, we can supply these sheaths separately if our customers require them. Made of best quality leather.

No. 39—Sheath for blades 4, 4¼, 4½, 5, and 6 inches.....\$0.60

No. 39—Sheath for blades 7 and 8 inches..... .75

for Every Hour in the Open

Marble's Folding Fish Knife




The blade is sharp at back of point for ripping and the back is an excellent fish scaler. It is a good all-around pocket knife for sportsmen, ranchmen and stockmen.

The blade, when folded, is entirely protected by the unique but simply operated nickel silver handle. When open it is as safe and rigid as a one-piece knife.

No. 78—Blade 4 inches, weight $3\frac{1}{2}$ ounces.....\$1.50

Marble's Safety Pocket Axe



The blade is made of forged tool steel, carefully tempered and sharpened. The guard, lined with lead, folds into the handle and is held in place with a spring.

Should be in the outfit of every hunter, trapper, fisherman, and in the automobile of every man who goes on a picnic or a motor tour. A popular axe with Boy Scouts.

NOTICE!

While the prices shown in this catalog are in effect at the time of printing, conditions make it necessary to retain the privilege of making changes without notice, not only in price but in manner of construction, use of material, etc., while our country is at war.

Manufacture of articles for civilian use made of brass, aluminum, steel and many other materials will not be in abundance and may eventually be curtailed entirely. Machines which are now working on civilian goods will soon be converted to articles required in the National War Effort and many shortages will occur.

We will continue to furnish Marble's Outing Equipment as long as we consistently can, and, after Victory is Won, we hope to be in an excellent position to serve our old and new customers in a mutually satisfactory manner.

MARBLE ARMS & MFG. COMPANY

Marble's Safety Pocket Axes

The blade is forged from tool steel, carefully tempered and sharpened. The guard, lined with lead, folds into the handle and is held in place with a spring.

There are now nearly three hundred thousand Marble axes in the hands of satisfied users. Every hardware and sporting goods dealer in America has Marble's axes.


Metal Handle

The metal handles are drop-forged and never break. Side plates are of hard rubber.



No. 2—Weight 22 ounces;
length 11 inches; solid
steel blade, $2\frac{3}{8} \times 4$ inches
.....\$3.25

No. 3—Weight 27 ounces; length $11\frac{1}{2}$ inches; solid steel
blade, $2\frac{1}{2} \times 4\frac{3}{8}$ inches.....\$3.50



No. 2P—Axe No. 2, with
pick.....\$4.50


Geologist, mountaineer, miner and prospector find this tool indispensable to the success of an expedition. Ideal for trappers for pulling staples, breaking ice and ground.

The pick can be securely and instantly locked either up or down. It will stand unlimited service and will be found handy when climbing. When folded, axe head can be safely used as a hammer.

for Every Hour in the Open

Marble's Safety Pocket Axe

Folding Claw




No. 2½—Axe No. 2,
with claw.....\$3.50

This safety pocket axe with folding nail claw is strong enough to pull a ten-penny nail from a seasoned hemlock plank. One can get at and pull with axe blade and claw a nail that could not be removed with a hammer alone.

Hickory Handle


The wooden handles are of selected hickory and have nickel-plated steel guard and lining for groove in handle. Blade is forged from tool steel.



No. 5—10½ inches, weight 16 oz.
Solid steel blade, 2⅜ x 4¾
inches.....\$2.00

No. 6—11½ inches, weight 22 oz.
Solid steel blade, 2¾ x 4¾
inches.....\$2.25

Marble's Belt Axe



Blade, 2⅜ x 4¾ inches, is forged from tool steel.
Weight, 20 oz.; handle, 14 inches.

No. 9—Belt Axe.....\$1.50

No. 29—Sheath for No. 9 Axe..... .75


Extra Handles..... .50

This is an ideal axe for Boy or Girl Scout and should be in the kit of every man and boy on a hiking trip to woods, field, or lake. It is prized by grown-ups as well.

MARBLE'S *Outing Equipment*

Marble's Camp Axe


With Nail Puller



Blade $3\frac{1}{8} \times 5\frac{1}{4}$ inches; av. wt., 26 ounces; handles, 16, 20, or 24 inches. Please mention length of handle desired.

| | |
|-----------------------------------|--------|
| No. 10—Camp Axe..... | \$2.50 |
| No. 30—Sheath for No. 10 Axe..... | .75 |
| Extra Handles..... | .60 |


The accurately machined eye is fitted perfectly by the handle, and is constructed to give the greatest bearing surface on the handle, so that the head cannot work loose. The tempered head, designed for driving stakes, spikes and so forth, will not become battered. The nail puller has tempered jaws.



Marble's Double-Bitted Axe

A delightful little axe for speedy work such as clearing a trail or cutting firewood. The double edge enables the user to always have one sharp edge for chopping and the other for general use.

| | |
|--|--------|
| No. 15—28-inch. Blade, $8\frac{1}{4} \times 3\frac{3}{4}$ in. Wt., $2\frac{1}{2}$ lbs..... | \$3.50 |
| No. 31—Sheath for No. 15 Axe..... | 1.25 |
| Extra Handles..... | .75 |



Marble's Clincher Gaff

Controlled entirely by one hand—always ready. There's nothing to set—no steel trap feature—no danger. A spring holds jaws open. Just reach out—touch to fish—close your hand. Jaws of gaff shut with a flash and grip fish like a vice.

Will grip and hold any fish from $\frac{1}{2}$ to 20 pounds. Catch large slim fish by the tail; then they can't flop.

Gaff is 18 inches long, $7\frac{1}{2}$ inches between points; can be locked with points together. Made of polished steel, heavily nickeled.

| | |
|--------------|--------|
| No. 321..... | \$1.25 |
|--------------|--------|


for Every Hour in the Open

Marble's Waterproof Matchbox

Cheap Life Insurance


Matches always dry and ready for instant use. Easily carried in your pocket. Made of seamless nickel-plated brass, $\frac{3}{4}$ " dia. Ring allows box to be fastened to beltsnap or chain.

No. 181..... 60c



Marble's Coat Compass


Waterproof



No. 182 — Stationary dial.....\$1.25

No. 082 — Revolving dial..... 1.50

No. 082L — Luminous revolving dial..... 2.00




Waterproof screw case of brass, $1\frac{1}{8}$ in. diameter, polished and lacquered. Agate bearing. Unbreakable crystal. Does not easily become demagnetized. Fastens securely to front of coat, vest, or on sleeve. In plain view at all times. Weight $1\frac{1}{2}$ oz.

Luminous revolving dials point the way as plainly in the dark as in the light.

Marble's Pocket Compass

Waterproof




No. 184

Waterproof screw case of brass, $1\frac{1}{8}$ -in. diameter, polished and lacquered. Agate bearing. Unbreakable crystal. Wt., 1 oz.

No. 184—Stationary dial..\$1.00

No. 186—Revolving dial.. 1.25

No. 186L—Luminous revolving dial..... 1.75



No. 186L

Marble's Wrist Compass



Case is of polished brass, $1\frac{3}{16}$ inches in diameter. Unbreakable domed crystal. Agate bearing. Extremely accurate. High-grade leather wrist strap. For the hunter, fisherman, camper, tourist, scout, and woodsman. Weighs only 1 ounce.

No. 187—Revolving Dial.....\$1.50

No. 187L—Luminous Revolving Dial..... 2.00

MARBLE'S *Outing Equipment*

Marble's Outers' Sets

All Season Gifts and Souvenirs that every sportsman, Boy Scout and lover of the out-of-doors will appreciate. Some of our most popular and best known articles. Each insures the safety and convenience of the owner. Used by famous explorers and sportsmen the world over.

No. 301—Per Set\$1.75

Consists of No. 184 Compass and No. 181 Match Box, in an attractive case.



No. 301




Nos. 304 and 305

No. 304—Per set (illustrated above).....\$4.00
Consists of one each No. 49 Woodcraft Knife in leather sheath, No. 181 Waterproof Match Box, and No. 182 Coat Compass in attractive gift case.


No. 305—Per set.....\$5.00
Consists of one each No. 50 Woodcraft Knife in leather sheath, No. 181 Waterproof Match Box, and No. 182 Coat Compass in attractive gift case.

for Every Hour in the Open

Marble's Auxiliary Cartridge



Rimless Cartridge Style



Savage .22 H. P. Style No. 161

Places the pistol cartridges at the forward end of shell chamber for firing. Bullet takes rifling on being fired; does not strip and become deformed; does not lead the barrel. It allows the use of cheap ammunition for small game or target shooting in a large, high-powered rifle.

Perfectly harmless to any part of the rifle. Can be used through the magazine if desired.

Order by number in list below.....\$0.75

No. 150—Size .30 Remington for use with .32 short Colt cartridges.

No. 151—Size .30-30 for use with .32 short Colt cartridges.

No. 152—Size .25-35 for use with .25 Colt Auto. cartridges.

No. 153—Size .303 Savage for use with .32 Smith & Wesson smokeless.

No. 154—Size .303 Savage for use with .32 Colt Auto. cartridges.

No. 155—Size .30-40 for use with .32 Smith & Wesson smokeless.

No. 157—Size .30-40 for use with .32 Colt Automatic.

No. 158—Size .32 W. S. for use with .32 Colt Automatic.

No. 159—Size .30 Govt. '03 and '06 for use with .32 C. A.

No. 159A—Size .30 Govt. '03 only for use with .32 C. A.

No. 161—Size .22 Savage H. P. for use with .22 L. R. smokeless, semi-smokeless and Lesmok.

No. 162—Size .30 Government Rimless '03 and '06 for use with .32 Smith & Wesson smokeless.

No. 163—Size .25 Remington for use with .25 Colt Automatic.

No. 164—Size .32 Remington for use with .32 Colt Automatic.

No. 165—Size .303 British for use with .32 S. & W.

No. 166—Size .303 British for use with .32 Colt Automatic.

No. 167—Size .35 Remington for use with .380 Colt Automatic.

No. 168—Size .35 Winchester Model '95 for use with .380 Colt Automatic.

No. 169—Size 8 mm. for use with .32 Colt Automatic.

No. 169A—Size 8 mm. for use with .35 S. & W. Automatic.

No. 170—Size .250-3000 Savage for use with .25 Colt Automatic.


No. 171—Size .250-3000 Savage for use with .25 short Stevens R. F.

No. 172—Size .300 Savage for use with .32 Colt Automatic.

No. 173—Size 6.5 mm. (.256) Mannlicher-Schoenauer M/03 for use with .25 C. A.

No. 174—Size .220 Swift for use with .22 L. R.

Marble's Jointed Brass Rifle Rod



Cut below shows cross section of joints



See That Steel Connection

The view of joint shows size of rod for .22 and .25 caliber rifles. Note the size—which gives needed strength. The rod for .30 caliber rifles and up is larger. It will not break off in the rifle. It is as rigid as a one-piece rod—and stays so.

The end of rod is fitted with a steel roller-bearing swivel which will withstand hard pulls and thrusts and prevent unscrewing of joints.

The wood handle projects beyond ferrule and prevents marring of muzzle.

Furnished with jagged and slotted tips and bag, and attachments which make rods fit any size or make of cleaner.

No. 9622—.22 and .25 cal., .204 in. diameter. Lengths

30, 36 in.....\$1.25

No. 9728—.28 cal. and up, .25 in. diameter. Lengths

30, 36 in..... 1.25


Tips. Each..... .10

Middle Section..... .25

End and Handle Sections. Each..... .50

Bags..... .25

Marble's Jointed Steel Rifle Rod



Steel rods are not affected by ammonia "dope."

The end of rod is fitted with a steel roller-bearing swivel which will withstand hard pulls and thrusts and prevent unscrewing of joints.

The wood handle projects beyond ferrule and prevents marring of muzzle.

Furnished with jagged and slotted tips and bag, and attachments which make rods fit any make of cleaner.

No. 9822—.22 and .25 cal., .20 in. diameter. Lengths

30, 36 in.....\$1.25

No. 9828—.28 cal. and up, .25 in. diameter. Lengths

30, 36 in..... 1.25

For Extras, see "Marble's Jointed Brass Rod."

for Every Hour in the Open

Marble's One-Piece Rifle Rods



Made from solid brass or solid steel rod with wood handle and swivel end, complete with jagged and slotted ends. (State length of barrel.)

Brass Rod

No. 522—.22 and .25 caliber. Lengths 30 and 36 in.\$1.00
No. 528—.28 caliber and up. Lengths 30 and 36 in. 1.00

Steel Rod

No. 622—.22 and .25 caliber. Lengths 30 and 36 in.\$1.00
No. 628—.28 caliber and up. Lengths 30 and 36 in. 1.00

Marble's Revolver Rod



Has three brass sections and two tips. These, with any make or size of cleaner, can be carried in the screw-capped, nickel-plated brass handle. Has steel roller-bearing swivel.

It is $\frac{3}{4}$ by 5 inches in size. This makes a very complete, compact outfit which may be conveniently carried in the pocket.

No. 99-22—.22 and .25 calibers. For 10-inch barrel.....\$1.00
No. 99-32—.32 cal. and up, .25 in. dia., 7 and 9 in..... .50
No. 99-38—.38 to .45 calibers. For 10-inch barrel..... 1.00

Marble's One-Piece Revolver Rod



Brass rod, large and strong; large handle. The swivel is a steel roller-bearing in end of rod as shown in cut. Furnished with jagged tip, and adaptor.

No. 722—.22 and .25 cal., .204 in. dia., 7 and 11 in.....\$0.50
No. 732—.32 cal. and up, .25 in. dia., 7 and 9 in..... .50
No. 738—.38 cal. and up, .25 in. dia., 7 and 9 in..... .50

MARBLE'S *Outing Equipment*

Marble's Rifle Cleaner




Sections are made of eight brass gauze washers on a spirally bent spring-tempered steel wire, separated by smaller fibre washers. The brushes are a little smaller than bore of rifle or revolver. This allows the spiral spring to force but one side of each brush against the bore. Thus they follow the twist, reach into every angle of the entire rifling and rapidly remove all lead, copper, rust or powder residue.

Rifle Cleaner—Order by No. and Cal. Each.....\$0.50

| | | | | | |
|---------|----------|---------|-----------|---------|----------|
| No. 100 | 22 cal. | No. 108 | 303 cal. | No. 114 | 9 mm. |
| No. 102 | 6 mm. | No. 108 | 8mm. | No. 114 | 348 cal. |
| No. 104 | 25 cal. | No. 108 | 32 revlr. | No. 116 | 38 cal. |
| No. 106 | 270 cal. | No. 110 | 32 cal. | No. 118 | 40 cal. |
| No. 106 | 28 cal. | No. 112 | 33 cal. | No. 118 | 410 cal. |
| No. 106 | 7 mm. | No. 114 | 35 cal. | No. 120 | 44 cal. |
| No. 108 | 30 cal. | No. 114 | 38 revlr. | No. 122 | 45 cal. |

Marble's Field Cleaner



The cleaner is same as Marble's rifle cleaner. The loop can be put over some projection, the weight dropped through gun and held in one hand, while with the other the gun is moved back and forth. This saves much time and labor.

This cleaner can be attached to any rifle rod.

Field Cleaner—Order by No. and Cal. Each.....\$0.75

| | | | | | |
|---------|----------|---------|-----------|---------|----------|
| No. 101 | 22 cal. | No. 109 | 303 cal. | No. 115 | 9 mm. |
| No. 103 | 6 mm. | No. 109 | 8 mm. | No. 119 | 348 cal. |
| No. 105 | 25 cal. | No. 109 | 32 revlr. | No. 117 | 38 cal. |
| No. 107 | 270 cal. | No. 111 | 32 cal. | No. 119 | 40 cal. |
| No. 107 | 28 cal. | No. 113 | 33 cal. | No. 119 | 410 cal. |
| No. 107 | 7 mm. | No. 115 | 35 cal. | No. 121 | 44 cal. |
| No. 109 | 30 cal. | No. 115 | 38 revlr. | No. 123 | 45 cal. |

for Every Hour in the Open


Marble's Shotgun Cleaner Made to Fit All Standard Rods



Constructed same as rifle cleaner, except that each section is composed of sixteen washers of brass gauze held together with fiber washers. The spiral core gives equal pressure from chamber to choke and with one thrust through the barrel it covers the entire circumference.

| | |
|---------------------------------|--------|
| No. 135—10-gauge..... | \$0.75 |
| No. 136—12-gauge..... | .75 |
| No. 137—16-gauge..... | .75 |
| No. 138—20-gauge..... | .75 |
| No. 139—28-gauge..... | .75 |
| No. 118—.410 or 12 mm. cal..... | .50 |


Marble's Shotgun Pull-thru



The cleaner is made the same as the "Shotgun Cleaner." The loop can be put over any projection, the weight dropped through gun and held in one hand, while with the other the gun is moved back and forth. This cleaner can be attached to any shotgun rod.

| | |
|---------------------------------|--------|
| No. 310—10-gauge..... | \$1.00 |
| No. 312—12-gauge..... | 1.00 |
| No. 316—16-gauge..... | 1.00 |
| No. 320—20-gauge..... | 1.00 |
| No. 328—28-gauge..... | 1.00 |
| No. 119—.410 or 12 mm. cal..... | .75 |

Marble's Shotgun Rod



Made in three sections from solid light metal. Light as wood, and stronger, as they will not split. Joints are heavily threaded. Knob on end holds rag for cleaning and oiling. Threaded to take all standard makes of cleaners. Wooden handle that fits the hand. In a cloth bag.

| | |
|---|--------|
| No. 400—10 to 20 gauge, $\frac{3}{8}$ in. dia. standard length..... | \$1.00 |
| No. 410—.410 and .28 gauge, $\frac{5}{16}$ in. dia. standard length.... | 1.00 |

MARBLE'S Outing Equipment

Marble's Nitro-Solvent Oil



No. 244

A Solvent is combined with a lubricant and other ingredients to make an oil that will dissolve and remove powder residue and leave the barrel and works lubricated.

It should be used alone—no other oil is necessary.

It stops corrosive action by neutralizing the acids of the



No. 544

residue before or after they have penetrated the steel.


Cleans and polishes varnished finishes.

Does not dry up quickly and will not gum. A perfect lubricant for reels, motors and light machines.

| | |
|---|--------|
| No. 244—3-ounce can..... | \$0.30 |
| By Mail..... | .40 |
| No. 544—6-ounce can..... | .60 |
| By Mail..... | .70 |
| No. 644—1-quart can. Postage extra. Shipping weight 3 pounds..... | 1.50 |

Marble's Anti-Rust Ropes

(Gun Barrel Wicks)




When saturated with oil these "cotton wicks" exclude all air and moisture and make it impossible for the barrels to rust or become pitted. One oiling will last a year.

They are longer than barrel and larger than bore. A 12-gauge rope needs $3\frac{1}{2}$ to 4 ounces of oil and a .30 caliber rope needs about two-thirds of an ounce.

| | |
|--|--------|
| No. 140—For 10-gauge shotguns..... | \$0.60 |
| No. 141—For 12-gauge shotguns..... | .60 |
| No. 142—For 16-gauge shotguns..... | .60 |
| No. 143—For 20-gauge shotguns..... | .60 |
| No. 146—For 28-gauge shotguns..... | .60 |
| No. 144—For rifles (state caliber)..... | .60 |
| No. 145—For revolvers (state caliber)..... | .30 |

for Every Hour in the Open

Marble's Flexible Rear Sight



IMPORTANT FEATURES

Automatic Joint. Whenever the sight is struck on front or back, the coiled spring in the hinge brings it instantly into position for shooting. Can be locked down. This joint alone more than doubles the value of the sight.

If snow gets in peep hole it can be thrown out by pulling sight back and letting it fly forward.

Elevation Lock. The lower sleeve, when turned up against the elevating sleeve, prevents it from being turned and holds the disc stem true and rigid at any elevation.

Interchangeable Discs. Discs having various sizes of outside diameter and different sizes of apertures can be used. See page 21.

Point Blank Adjustment. A screw in the bottom of disc permits a quick change of point blank range without tools.

This sight will fit all American rifles, except Remington Models 12, 121, 14, 141, 16, 24, 241, and 25. (See page 20.) Mention make, model and caliber. With proper screws for attaching sight to gun.

Flexible Rear Sight with Discs 1 and 2.....\$4.00

Marble's Special Rear Sight

For Remington Rifles




They cannot be made with flexible joint because they must be made low, but they have all other features of Marble's flexible rear sights. They can be folded down to tang. Furnished with Discs Nos. 1 and 2 having different apertures and proper screws for attaching sight to gun.

| | |
|--|--------|
| No. R7—For Models 12 and 121 .22 repeater..... | \$4.00 |
| No. R7C—For Model 12CS, .22 caliber repeater..... | 4.00 |
| No. R8—For Models 14 and 141, high power..... | 4.00 |
| No. R9—For Model 16, .22 auto..... | 4.00 |
| No. R10—For Models 24 and 241, .22 auto..... | 4.00 |
| No. R11—For Model 25, .25-20 and .32 cal. repeater.... | 4.00 |

Marble's Simplex Rear Sight

A peep sight at a moderate price for .22 caliber rifles only



The stem can be set quickly in any position by raising the lock to a horizontal position and moving the stem up or down with the fingers.

The lock holds stem rigid at any elevation.

The sight is held quite firmly by an inside spring in the proper position for shooting, but can be easily folded down. With discs Nos. 1 and 2 having different apertures, and proper screws for attaching sight to gun.


| | |
|-------------------------|--------|
| Simplex Rear Sight..... | \$2.00 |
|-------------------------|--------|

Marble's Slot Blank



| | |
|--|--------|
| No. 87—For standard slot in round and octagon barrels..... | \$0.25 |
| No. 87S—For Stevens and Savage rifles with $\frac{9}{32}$ " slots..... | .25 |
| No. 87A—For Nos. 8 and 81 Rem. Auto..... | .50 |

for Every Hour in the Open



"Special Base" Flexible Sights

For Bolt Action Rifles

| | |
|--|--------|
| No. KS —Flexible Rear Sight for Krag Rifles and Carbines..... | \$4.00 |
| No. S6S —Flexible Rear Sight for Model 22 "Sporter" Savage..... | 4.00 |
| No. S7S —For Remington Model 550, .22 Auto..... | 4.00 |
| No. M38S —For Savage Model 219 Utility Gun..... | 4.00 |
| No. M80 —For Marlin Models 80, 81, A1 and 100 .22 Cal..... | 4.00 |
| No. M36S —For Marlin Model 36 Carbines..... | 4.00 |
| No. R13S —For Remington Model 341A, .22 Cal..... | 4.00 |
| No. R13S —For Stevens .22-.410 Combination Over and Under..... | 4.00 |

To fit our Special Base Flexible Rear Sights to the Ross and Krag Bolt Action Rifles, it is usually necessary to cut back the combing from $\frac{1}{2}$ to $\frac{3}{4}$ inch so the upright of the sight will come back of the firing bolt when it is pulled back. Sights attach with screws to wood tang. Receiver sights for the Krag, Ross, Lee-Enfield and M-20 Savage Bolt Action Rifles described on page 22.


Discs for Marble's Rear Sights



No. 9



No. 7



No. 5



No. 1



No. 2

Discs having different outside diameters and different sizes of apertures screw into stems of Marble's Rear Sights. Interchange with the two regular discs, Nos. 1 and 2.

| | | |
|---|---------------------------------------|--------|
| No. 1s. — $\frac{1}{4}$ inch..... | .021 inch..... | \$0.25 |
| No. 1 — " "..... | .052 inch..... | .25 |
| No. 2 — " "..... | .081 inch..... | .25 |
| No. 5s. — $\frac{7}{8}$ inch..... | .021 inch..... | .50 |
| No. 5 — " "..... | .052 inch "Target"..... | .50 |
| No. 6 — " "..... | .081 inch..... | .50 |
| No. 7s. — $\frac{9}{16}$ inch..... | .021 inch..... | .50 |
| No. 7a. — " "..... | .052 inch..... | .50 |
| No. 7 — " "..... | .081 inch "Snapshooter"..... | .50 |
| No. 8 — " "..... | $\frac{1}{8}$ inch "Snapshooter"..... | .50 |
| No. 9s. — $\frac{3}{8}$ inch..... | .021 inch..... | .50 |
| No. 9 — " "..... | .052 inch..... | .50 |
| No. 10 — " "..... | .081 inch "Hunter"..... | .50 |

Marble's Receiver Sight

Adjustable for elevation and windage. Each quarter turn of elevation screw changes elevation .0125 of an inch, and each quarter turn of wind gauge screw gives a variation of .0104 of an inch. Aperture in disc is $\frac{3}{32}$ of an inch. Sight attaches to side of receiver, around ejector. Absolutely rigid. Furnished with drill, tap and screws.



No. S20—For Savage 1920 bolt action rifles.....\$6.50

No. LE—For Lee-Enfield military and sporting rifles..... 6.50

No. RO—For Ross sporting and military rifles..... 6.50


No. KR—For Krag rifles and carbines 6.50

No. WB—For Winchester M/54 bolt action..... 6.50

No. R30—For Remington M/30..... 6.50

Marble-Goss Receiver Sight

SERIES 750



Places aperture close to the eye— $3\frac{1}{4}$ -inch sight radius. Disc extends $\frac{5}{16}$ inch back of other parts.

Precision micrometer adjustments. Clockwise movement for both windage and elevation. Elevation and windage screws are moved in direction the point of impact is to go. Has adjustable zero and minute of angle

scales for both elevation and windage.

Furnished with large ($1\frac{1}{4}$ -inch) disc with recessed diaphragm—.005 inch thick—gives sharper definition. No "fuzzy" bulls. No eye strain. .041-inch aperture regularly furnished. .036-inch and .045-inch apertures available.

No. MG750—For Winchester Model 75 Target Rifle.....\$7.50

No. MG440—For Mossberg Target Rifles..... 7.50


No. MG500—For Stevens No. 416 Rifle..... 7.50

No. MG500—For Sears Ranger No. 50 Rifle..... 7.50

No. MG513—For Remington Nos. 510, 511, 512 and 513 Rifles..... 7.50

for Every Hour in the Open

MARBLE-GOSS RECEIVER TANG SIGHTS



For
Target
Rifles


M-G 52
sight
mounted
with disc
carriage in
low posi-
tion on a
Model 52
Winchester
Rifle.

Places aperture close to eye. Disc rides $\frac{5}{16}$ " back of other parts—no metal interfering with holding disc close. Quickly and easily adjusted $1\frac{1}{2}$ " forward or back to suit Shooter's position, build or style of gun stock. Reversible disc carriage gives perfect fit with high or low stock. Does not interfere with bolt handle. Clockwise movement for both windage and elevation. Move the windage or elevation screw in direction the point of impact is to go. True $\frac{1}{4}$ minute angle clicks. $\frac{1}{8}$ minute moves easily made. Has adjustable zeros and minute of angle scales for both elevation and windage. Large disc ($1\frac{1}{4}$ ") with recessed aperture diaphragm—.005" thick—gives sharper definition. No "fuzzy" bull. No eye strain. Furnished with .041" aperture. Other sizes: .036" and .045". Also, in $\frac{9}{16}$ " outside diameter for use when sight is in forward position on Model 52 Winchester. Precision micrometer adjustments and longer sight radius gives maximum group contact. Quickly and easily attached or removed without tools.


| | |
|--|----------------|
| No. MG52 —For Winchester Model 52 Rifles..... | \$12.00 |
| No. MG69 —For Winchester Model 56, 57, and 69 Rifles | 12.00 |
| No. MG75 —For Winchester Model 75 Rifles..... | 12.00 |
| No. MG19 —For Savage 19, 22, 23, and 33 Rifles..... | 12.00 |
| No. MG417 —For Stevens Model 417; Ballard Rifle..... | 12.00 |
| No. MG37 —For Rem. Model 37 Rangemaster Rifles..... | 12.00 |
| No. MG50 —For Ranger Model 50 Target Rifles; Stevens 416-1 Rifles..... | 12.00 |
| Extra Discs for Marble-Goss Sights, each..... | .75 |

Also made for M1 and M2 Springfield, Model 34 Remington, Winchester Single Shot Rifles, and B. S. A., at \$13.50 each, list.

Marble's Sporting Rear Sights



Flat Top



- *No. 63—For Winchester Carbines, all calibers; Savage .22 H. P., .250-3000 and .300 H. P. Rifles; and all makes of .22 caliber rifles having standard slots in barrel for rear sight.....\$1.75
- *No. 63M—For Remington Nos. 121, 241, 41A, and 341A.....1.75
- No. 63S—For Stevens and Savage Rifles with 9/32-inch slots.....1.75
- No. 66—For Winchester; Savage; Marlin; Remington H. P. (except Models 8 and 81 Auto. and 141 Rep.); and other rifles having standard slot in barrel for rear sight.....1.75
- No. 66H—For Remington No. 141 Rifles.....1.75
- No. 66R—For Rem. Nos. 8 and 81 H. P. Auto.....2.50

Semi-Buckhorn



- *No. 64—For Winchester Carbines, all calibers; Savage .22 H. P., .250-3000 and .300 H. P. Rifles; and all makes of .22 caliber rifles having standard slots in barrel for rear sight.....\$1.75
- *No. 64M—For Remington Nos. 121, 241, 41A, and 341A.....1.75
- No. 64S—For Stevens and Savage Rifles with 9/32-inch slots.....1.75
- No. 67—For Winchester; Savage; Marlin; Remington H. P. (except Models 8 and 81 Auto. and 141 Rep.); and other rifles having standard slot in barrel for rear sight.....1.75
- No. 67H—For Remington No. 141 Rifles.....1.75
- No. 67R—For Rem. Nos. 8 and 81 H. P. Auto.....2.50

Full Buckhorn



- *No. 65—For Winchester Carbines, all calibers; Savage .22 H. P., .250-3000 and .300 H. P. Rifles; and all makes of .22 caliber rifles having standard slots in barrel for rear sight.....\$1.75
- *No. 65M—For Remington Nos. 121, 241, 41A and 341A.....1.75
- No. 65S—For Stevens and Savage Rifles with 9/32-inch slots.....1.75
- No. 68—For Winchester; Savage; Marlin; Remington H. P. (except Models 8 and 81 Auto. and 141 Rep.); and other rifles having standard slot in barrel for rear sight.....1.75
- No. 68R—For Rem. Nos. 8 and 81 H. P. Auto.....2.50

*When Nos. 63, 63M, 64, 64M, and 65 Sporting Rear Sights are used on Remington .22 cal. or Winchester .22 Self-Loading, a front sight 1/16 inch higher than regular is required.

Marble's Sporting Leaf Sights

Spring in the base holds the leaf firmly in either upright or folded position. Reversible notch piece is held at proper elevation with screw. Has two "U" and two "V" shaped notches, different sizes, with white diamond on one side and black on other. Particularly adapted for use with peep sights.



No. 69

Flat Top



No. 70

Semi-Buckhorn



No. 71


Full Buckhorn

- No. 69—Flat Top Leaf.** For all Winchester; Marlin; Savage (except .22 H. P., .250-3000, and .300 H. P.); Remington (except Autoloading H. P.); and, for all other rifles having standard slot in barrel for rear sight....\$1.50
- No. 70—Semi-Buckhorn Leaf.** For all guns listed under No. 69..... 1.50
- No. 71—Full Buckhorn Leaf.** For all guns listed under No. 69..... 1.50
- No. 69H—Flat Top Leaf (Extra High).** For Savage .22 H. P., .250-3000 and .300 H. P. Rifles; Rem. No. 141..... 1.50
- No. 70H—Semi-Buckhorn Leaf (High).** For all rifles listed under No. 69H (except Remington No. 141 Rifles)..... 1.50
- No. 70HH—Semi-Buckhorn Leaf (Extra High).** For Rem. No. 141 Rifles.. 1.50
- No. 71H—Full Buckhorn Leaf (High).** For all rifles listed under No. 69H (except Remington No. 141 Rifles)..... 1.50
- No. 71HH—Full Buckhorn Leaf (Extra High).** For Rem. No. 141 Rifles.. 1.50
- Nos. 69R, 70R and 71R Leaf for Nos. 8 and 81 Rem. Auto. Rifles, each...** 2.00

Marble's Adjustable Leaf Sight

Leaf is firmly held in position, either up or down, by the spring of the long flat part. It can be easily put in either position.

Reversible notch piece is held at proper elevation with screw. Has two "U" and two "V" shaped notches, different sizes, with white diamond on one side and black on other.



- No. 95L—**For Winchester rifles; Savage rifles, Models '03, '04, '05, '14, '23 Sporter, Nos. 40 and 45 Super-sporter; Marlin rifles, .22 caliber; Remington rifles Models 12, 14, 16, 24, 25, 33, 34, 121, 241, 341A, 510, 511, 512, 513, 515, 550; Stevens Rifles with $\frac{3}{8}$ -inch slots.....\$1.25
- No. 95M—**For Rem. Nos. 121, 241, 41A, 341A (fastened with two screws).. 1.25
- No. 95H—**For Savage H. P. and Nos. 25 and 29, .22 cal.; Marlin H. P. rifles..... 1.25
- No. 95XH—**For Model 20 Savage bolt action; Rem. No. 141 Rifles..... 1.25
- No. 95S—**For Stevens and Savage rifles with $\frac{9}{32}$ -inch slots..... 1.25
- No. 95R—**For Nos. 8 and 81 Rem. H. P. auto. rifles..... 1.50
- No. 95NRA—**For Savage 1919, 1922, and '33, .22 caliber..... 1.50

MARBLE'S *Outing Equipment*

Marble's Standard Sight Ivory, Red or Gold Bead



Handsome and well made. The ivory beads are from whitest elephant tusks. The lustrous Pope's Island Gold Beads are visible in dim light. Also available with red beads. All beads have flat faces. For all American made rifles in $\frac{1}{16}$, $\frac{3}{32}$ and $\frac{1}{8}$ inch beads.

Standard Sight—Give make, model and caliber of rifle.

Each.....\$1.00

Marble's Improved Sight Ivory, Red or Gold Bead



This sight gives a "long look ahead." Permits accurate shots at any range without stopping to adjust the rear sight.

On a range somewhat longer than the gun is sighted for, one can see the object aimed at under the center of the bead as well as over. It is exceptionally valuable for running shots and for shooting at objects in the air.

Improved— $\frac{1}{16}$ or $\frac{3}{32}$ -inch ivory or Pope's Island gold

bead. Each.....\$1.00

Marble's Reversible Sight Ivory and Gold Bead



Both beads are the same size and are furnished in $\frac{1}{16}$ or $\frac{3}{32}$ -inch sizes. This combination meets every possible condition of light and background.

Reversible ivory and gold bead, each.....\$1.50

Marble's V-M Sight



Face and lining of aperture are made from our lustrous Pope's Island gold, visible in the dimmest light. The aperture is $\frac{5}{32}$ -inch inside diameter, $\frac{1}{4}$ -inch outside diameter, $\frac{1}{8}$ -inch deep. For all American-made rifles.

V-M Sight.....\$1.50

for Every Hour in the Open

Marble-Sheard "Gold" Hunting or Target Sights



No. 6.

This sight is guaranteed to show up well in the darkest timber, under any and all circumstances, and not to "blur." Will show the same color on different colored objects; will stand rough work and improve the shooting greatly.

"Gold" bead is welded to the steel.

Made to fit nearly all sporting and military rifles, carbines, target revolvers and pistols, and Luger automatic pistols.

When ordering Sheard front sights for Mauser and Mannlicher rifles, send front sight now in use on rifle as sample to make sure that correct sight is sent. For other rifles and revolvers, give make, model and caliber.

Sheard Sight—With medium bead, each.....\$1.50

No. 2—Winchester Model 92, .25-20, .32-20, .38, .44.

Winchester Rifles Model 94, .32-40, .38-55.

No. 4—Winchester Models 73, 76 and 86, except .33, .45-70 and .45-90 H. P. S. and light weights.

Winchester Model 87 Single Shot, except .30-40 U. S. A.

Winchester Model 95, .30 Gov't '06, .35 W.C.F., .38-72, .40-72 and .405.

Winchester Models 56, 60 and 67.

Winchester Models 61 and 62, .22 Repeaters.

Winchester Model 63, .22 L. R. Auto.

Winchester Models 72 and 74, with open rear sights.

Marlin Model 27, .25-20 and .32-20.

Marlin Models 86, 92, 93, 94 and 95, except .25-36, .30-30 and .32 Spl.

Marlin Model 97, .22 Repeater.

Savage Model 1922 "Sporter," .22.

Savage Model 99T, .30-30 and .303.

Remington Models 8 and 81 Auto., .25, .30, .32 and .35.

No. 5—Winchester Model 94, .25-35, .30-30 and .32 Spl.

Savage Model 99T, .22 H. P., .250 and .300.

Savage Model 99 A, E, F, EG, G, K, R, .250.

Savage Model 99 G, K, R, RS, .300.

Savage Model 99, .38-55.

Savage Models 40 and 45 Super Sporter.

Savage 1909, 1911, 1912, No. 25, 23AA (.22 L.R.)

Marlin Model '93, .38-55 H. P. S.

Stevens No. 75, .22 Repeater.

No. 6—Winchester Carbines, Model 94, .25-35, .30-30 and .32 Spl.

No. 6L—Winchester Carbine, Model 92, .25-20 H. V.

No. 7—Winchester Carbines, Model 94, .32-40 and .38-55.

Winchester Carbines, Model 92, all calibers.

MARBLE'S *Outing Equipment*



Nos. 10 and 14



No. 11



No. 26

No. 10—Winchester Rifle Model 95, .30 Army (.30-40) .303 British.

Winchester Carbine Model 95, .30 Gov't '06, 220 gr. bullets.

Winchester Model 54, .30 Gov't '06.

No. 11—U. S. Springfield Models '03 and '06, .30 Gov't.

No. 11A—U. S. Springfield .22 Armory.

No. 12—Haenel Model Mannlicher Carbines.

No. 13—Savage Model 99A, B, C, D, H, .22 H. P., .25-35, .30-30, .303, .300 below 297,000.

Savage Model 99A, E, EG, F, .300 above 305,700.

Savage Model 23B (.25-20), 23C (.32-20), 23D (.22 Hornet).

Savage Model 29A, 29C, .22 L. R.

Marlin Model 93, .25-36, .30-30, .32 Special, .32-40 H. P. S.

Marlin Model 36, .30-30, .32 Special.

Winchester Model 94, .25-35, .30-30, .32 Special, using super-speed ammunition.

Winchester Models 68, 69, 72 and 74, with factory peep sights.

No. 14—Winchester Carbine Model 95, .30 Gov't '06, 150 and 180 gr. bullets.

Winchester Carbine Model 95, .30 Army (.30-40), .303 British.

Winchester Model 54, 270 W. C. F.

No. 15—Winchester Model 86, calibers .33, .45-70, .45-90 H.P.S.

Winchester Self-Loading Models '05, '07 and '10, .32, .35, .351, .401.

Remington Single Shot, Nos. 2, 4 and 6.

Remington Model 12, .22 Repeater.

Remington Model 16, .22 Autoloading.

Remington Models 33, 34, 41, 341, .22 Bolt Action.

No. 16—Savage Model 99 E, F and G, .22 H. P., .25-35, .250 below 305,700; .30-30, .303 below 260,000.

No. 16NS—Savage Model 99 E, F and G, .30-30, .303, .300 from 260,000 to 305,700.

No. 16A—Savage Model 20 Bolt Action, .250, .300 below 9,000.

Savage Model 99 E, F and G, .300 below 260,000.

No. 16A-NS—Savage Model 20, .300 above 9,000.

No. 17—Winchester Models 90, '06, .22 Repeater.

Winchester Model '03, .22 Self Loading.

No. 26—Sauer-Mausier Rifles and Carbines. (Send Sample.)

No. 27—Luger Automatic Pistols, .30 or 9mm.

No. 28—Stevens No. 35 Offhand Pistol.

No. 30—Stevens Nos. 17, 18, 19, 20, 27, 44, 70.

No. 31—Stevens Nos. 44½, 044½.

for Every Hour in the Open



No. 35



Nos. 36 and 37



No. 40

- No. 35**—Smith & Wesson Military and Police Target Revolvers, state caliber.
- No. 36**—Colt's Auto. Target Pistol, .22.
Colt's Police Positive Target Revolver, .22, .32. State caliber.
Colt's Officer's Target Revolver (old Model), .22.
- No. 37**—Colt's Officer's Target Revolver, .38.
Colt's New Service Target Revolver.
Colt's Shootingmaster Revolver.
- No. 40**—Colt's Single Action Army, Bisley Model, with plain sight; or any other Colt's or S. & W. revolver with stationary front sight. (Sight should be fitted by a gunsmith.)
- No. 425**—Winchester Model 95, .30 Gov't '06, 150 and 180 gr.
- No. 43**—Savage Models '03, '04 and '14.
Marlin Models 18, 20, 25, 29, 37, 47, .22.
Winchester Models 53 and 55.
- No. 46**—Krag Rifles and Carbines. Mention which.
- No. 47**—Savage Models 19 (.22 N.R.A.); 19H (.22 Hornet).
Savage Model 29B, .22.
Mossberg and Western Field Target Rifles.
- No. 49**—Mauser 7.9 mm. caliber rifle.
- No. 50**—Remington Model 30, .30 Gov't.
Remington Model 141, all calibers.
- No. 51**—Mannlicher-Schoenauer, 6.5 mm. caliber.
- No. 52**—Winchester Model 52, .22 Sporter.
Winchester Model 92 Rifles with ramp.
Winchester Model 87 S. S. Musket, .22, .30 Army.
Winchester Models 57 and 60A Target.
Marlin Models 39, 39A, 50, 65, 80, 81, 100, A1.
Remington Model 121, .22 Repeater.
Remington Model 14, all calibers.
Remington Models 24 and 241, .22 Autoloading.
Remington Model 25, .25-20, .32-20.
Remington Models 510, 511, 512, 513, 550.
Savage Models 99F, EG, G, .22 H. P., 99RS, .250.
Savage Model 99F, G, EG, K, .30-30, .303.
Savage Model 99 Carbines, .250, .30-30, .303, above 297,000.
Savage Models 3, 4, 5, 6, 7, .22 Bolt Action.
Stevens No. 71, .22 Repeater.
Western Field, .22 Bolt Action.
- No. 54**—Lee-Enfield Rifle, .303 British.
- No. 56**—Remington Model 30 Express, factory rear sight.
- No. 56-H**—Remington Model 30 Express with Lyman No. 48R receiver sight.
- No. 56S**—Remington Model 30 Sporter.
- No. 57**—Winchester Carbines, Models 92 and 94 with ramp.
Winchester Model 54 with ramp.
Winchester Models 64 and 65 Rifles.
Winchester Model 70, all calibers.
Winchester Model 71, .348.
Winchester Model 75 Sporter.

MARBLE'S *Outing Equipment*

Marble's Special Sights



No. 94C



Nos. 894 and 16



Nos. 36 and 37

With $\frac{1}{16}$ or $\frac{3}{32}$ -inch Ivory, Red or Gold Bead

- No. 94C—Win. Carbine '94, .25-35, .30-30 and .32 Special \$1.00
 No. 894—Win. Carbine '94, .25-35, .30-30, and .32 Special 1.00
 No. 895R—Win. Carbine '95, .30-06, 150 & 180 Gr., .30-40 (Army) and .303 Br.; Model 54, .270..... 1.00
 No. 895C—Win. Rifle '95, .30-40 (Army) and .303 Br.; '95 Carbine, .30-06 .220 Gr.; Model 54, .30-06..... 1.00
 No. 11—U. S. Springfield '03 and '06 .30 Gov't..... 1.00
 No. 16—Sav. '99 E, F, and G, .22 H. P., .25-35 and .250 below 305,700; and .303 below 260,000..... 1.00
 No. 16NS—Sav. '99 E, F, and G, Fwt., .30-30, .303, and .300 in numbers 260,000 to 305,700..... 1.00
 No. 16A—Sav. '99 E, F, and G, Fwt., .300 below 260,000; Sav. '20, .250 and .300 below 9,000..... 1.00

With $\frac{1}{16}$ -inch Ivory, Red or Gold Beads

- No. 27—Luger Auto Pistol.....\$1.00
 No. 35—S. & W. Target Revolvers. State caliber..... 1.00
 No. 36—Colt's .22 Auto. Pistol; Police Positive Target Revolver (mention cal.); .22 Officer's Model (old model).... 1.00
 No. 37—Colts .38 cal. Officer's Model; New Service Target Revolvers; .38 Shootingmaster..... 1.00
 No. 46—Krag Rifles or Carbines. Mention which..... 1.00

Marble's Semi-Rib




The optical effect in using this device is the same as when using a gun with rib the full length of barrel. It does not make gun muzzle heavy, yet gives all the advantages of a full length rib with but nominal cost. If a person undershoots (a common fault) the rib can be shimmed up with paper. The ribs prevent sighting over side of frame and assist in quick, accurate firing.

- No. 227—For Model '97 and M-12 Win. Repeater. 12-gauge only.....\$1.00

for Every Hour in the Open

Marble's Shotgun Sights FOR DOUBLE BARREL SHOTGUNS



Bi-Color Front

Ivory body with gold cap and steel base. Construction eliminates danger of breakage. Can be seen in any light. Easily attached by use of reamer.

Ivory Front


Its whiteness and large size make it more easily seen than the ordinary metal sights. Greatly increased accuracy in shooting. Can be easily attached by use of reamer. Available in red if desired.

Ivory Rear

This sight should be placed at about the center of the barrels, or from 12 to 16 inches from the muzzle sight, according to length of gun and shooter's eyesight—never more than 18 inches.

| | |
|--|--------|
| No. 214—Ivory Front Sight only, $1\frac{1}{64}$ -inch dia..... | \$0.40 |
| No. 215—Ivory Front, Ivory Rear and Reamers..... | 1.00 |
| No. 220—Bi-Color Front, Ivory Rear and Reamers..... | 1.20 |
| No. 221—Bi-Color Front Sight, $\frac{5}{32}$ -inch dia..... | .60 |
| No. 223—Ivory Rear Sight, $\frac{3}{32}$ -inch dia..... | .40 |
| No. 224—Front Sight Reamer..... | .10 |
| No. 226—Rear Sight Reamer..... | .10 |

FOR SINGLE BARREL GUNS



| | |
|---|--------|
| No. 216—Ivory Front Sight, $1\frac{1}{64}$ inch. Tap and Wrench.... | \$1.00 |
| No. 217—Ivory Front, $1\frac{1}{64}$ inch..... | .75 |
| No. 218—Bi-Color Front, $\frac{5}{32}$ inch..... | .75 |
| No. 219—Bi-Color Front, $\frac{5}{32}$ inch. Tap and Wrench..... | 1.00 |



FOR EVERY HOUR



IN THE OPEN

THE ORIGINAL SIGHT-EXCHANGE

"Gun Sight Specialists"

PAOLI,

PENNA.